


NARMS - EB 1998

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Chicken



↓ Breakpoint


■ Slaughter n=562

■ Diagnostic n=203

NARMS - EB 1998

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Chicken



↓ Breakpoint


■ Slaughter n=562

■ Diagnostic n=203

NARMS - EB 1998

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Chicken



↓ Breakpoint


■ Slaughter n=562

■ Diagnostic n=203

NARMS - EB 1998

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Chicken



↓ Breakpoint


■ Slaughter n=562

■ Diagnostic n=203

NARMS - EB 1998

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Chicken



↓ Breakpoint

■ Slaughter n=562

■ Diagnostic n=203